

## TECHNICAL DATA SHEET



# SYNTHETIC SAE 20W-50 MOTORCYCLE OIL

PRODUCT # 10702

### TEST

### ASTM

### TYPICAL

<b>API Gravity</b>	<b>D-1298</b>	<b>32.2</b>
<b>Specific Gravity @ 60°F</b>	<b>D-1298</b>	<b>.8644</b>
<b>Density @ 60°F LBS/US Gal</b>	<b>D-1298</b>	<b>7.198</b>
<b>Viscosity @ 40°C, cSt</b>	<b>D-445</b>	<b>118</b>
<b>Viscosity @ 100°C, cSt</b>	<b>D-445</b>	<b>19</b>
<b>Viscosity Index</b>	<b>D-2270</b>	<b>182</b>
<b>Color</b>		<b>Light Brown</b>
<b>Flash Point, COC °F</b>	<b>D-92</b>	<b>445</b>

Lucas Synthetic SAE 20W-50 High Performance Motorcycle Oil is formulated with an exclusive additive package that is not found in other brands. It contains a high level of detergents and dispersants to resist sludge and varnish formation.

Lucas Synthetic SAE 20W-50 High Performance Motorcycle Oil is formulated to lower engine temperature and raise oil pressure, reduce noise and increase performance. It offers maximum protection with minimum drag.

The exclusive additive package in Lucas Synthetic SAE 20W-50 High Performance Motorcycle Oil allows for extended drain intervals.

Lucas Synthetic SAE 20W-50 High Performance Motorcycle Oil far exceeds all OEM specifications.

Formulated to meet ALL motorcycles that call for a Synthetic SAE 20W-50 motor oil.

Meets or exceeds: API SG/SF/CC/CD • JASO MA • ACEA A3